

***In the Claims:***

Kindly amend claims 33, 37 and 47, and insert new claims 49 – 52 as shown in the following listing of the entire claims in the application.

1 – 11 (canceled)

12 – 23. (canceled)

24. (withdrawn) A method of preparing a derivative from a naturally occurring allergen, wherein specific IgE binding to the derivative is 50% or less compared to the IgE binding to said naturally occurring allergen, which method comprises:

modifying said naturally occurring allergen to induce IgG antibody production  
wherein the production of allergen-specific IgE is reduced.

25. (withdrawn) The method of claim 24, wherein the IgE binding to the derivative is 25% or less compared to the IgE binding to said naturally occurring allergen.

26. (withdrawn) The method of claim 24, wherein the IgE binding to the derivative is 10% or less compared to the IgE binding to said naturally occurring allergen.

27. (withdrawn) The method of claim 24, wherein the IgE binding to the derivative is 5% or less compared to the IgE binding to said naturally occurring allergen.

28. (withdrawn) The method of claim 24, wherein the IgE binding to the derivative is eliminated compared to the IgE binding to said naturally occurring allergen.

29. (withdrawn) The method of claim 24, wherein the specific IgG isotype induced is IgG<sub>1</sub> and IgG<sub>2</sub>.

30. (withdrawn) The method of claim 24, wherein, the specific IgG isotype induced is IgG<sub>1</sub>, IgG<sub>2</sub> and IgG<sub>4</sub>.

31. (withdrawn) The method of claim 24, wherein the naturally occurring allergen is Bet v 1.

32. (withdrawn) The method of claim 24, wherein the naturally occurring allergen is selected from the group consisting of major grass pollen allergens, mite allergens, bee venom allergens and animal hair dander allergens.

33. (currently amended) A method of treating or preventing an IgE-mediated allergic disorder, comprising periodically administering for a number of times to a patient in need thereof, a composition comprising one or more immunotherapeutic agents selected by a process involving:

providing derivatives from naturally occurring grass pollen allergens;

challenging an immunological model with said derivatives;

selecting as immunotherapeutic agents, those derivatives which induce IgE-blocking antibodies and wherein specific IgE binding to the derivative is 50% or less compared to the IgE binding to said naturally occurring allergen. ~~wherein said composition induces the production of IgG antibodies and reduces the production of allergen-specific IgE and wherein the naturally occurring allergen is selected from the group consisting of the major allergens of alder, hazel and birch.~~

34. (previously presented) The method of claim 33, wherein the IgE binding to the derivative is 25% or less compared to the IgE binding to said naturally occurring allergen.

35. (canceled)

36. (canceled)

37. (currently amended) The method of claim 33, wherein the derivative elicits substantially no allergenic activity ~~IgE binding to the derivative is eliminated~~ compared to the IgE binding to said naturally occurring allergen.

38. (previously presented) The method of claim 33, wherein the period between administrations of the composition is at least 14 days.

39. (previously presented) The method of claim 38, wherein the composition is administered to the patient from three to five times.

40. (previously presented). The method of claim 39, wherein the composition is administered to the patient four times.

41. (previously presented) The method of claim 38, wherein the time interval between the third and the fourth administration being longer than the time intervals between the first three administrations.

42. (canceled)

43. (previously presented) The method of claim 33, wherein, during each administration, substantially the same dose of the derivative is administered.

44. (previously presented) The method of claim 43, wherein, during each administration, a dose of at least 5 µg of the derivative is administered.

45. (previously presented) The method of claim 43, wherein, during each administration, a dose of at least 10 µg of the derivative is administered.

46. (previously presented) The method of claim 33, wherein the naturally occurring allergen is Bet v 1.

47. (currently amended) The method of claim 33, wherein the naturally occurring allergen is a major grass pollen ~~allergens~~ allergen selected from the group consisting of the major allergens of alder, hazel and birch.

48. (previously presented) The method of claim 33, wherein the composition further comprises an adjuvant.

49. (new) The method of claim 33, wherein the immunotherapeutic agents are adsorbed unto a pharmaceutically acceptable adsorbate.

50. (new) The method of claim 49, wherein the adsorbate is aluminum hydroxide.

51. (new) The method of claim 33, wherein the immunotherapeutic agent is a derivative of Bet v 1.

52. (new) The method of claim 33, wherein the immunotherapeutic agent is a trimer of Bet v 1.